

SOLUSI TEPAT UNTUK MEMBUAT LABEL



P-touch LABELS
TESTED
TO THE EXTREME ✓



Chemical
Resistant



Temperature
Resistant



Fade
Resistant



Abrasion
Resistant



Water
Resistant



Strong
Adhesion



Personal Use



Office Use



Telecommunication Use



Electrical Use



Logistic Use




Business Use




P-Touch Editor


Laminated "TZe" Tape Construction



Software P-Touch Editor menawarkan berbagai macam pilihan desain & fungsi untuk mengakomodir kebutuhan bisnis & pelabelan anda. Dengan menggunakan P-Touch Editor, Anda dapat membuat berbagai teks, gambar, label barcode atau label lainnya, baik single atau multiple label. Software ini dapat dihubungkan dengan database M.S Excel. Tersedia untuk Windows dan Macintosh



Laminated Tape Structure



Brother Service Center

0811-82-555-95 (home user)

0811-80-555-95 (corporate)



Jaminan Garansi Resmi 3 Tahun
dari Brother Indonesia

INDUSTRIAL TUBE & LABEL PRINTER

Introducing Brother's PT-E800T and PT-E850TKW

Get the job done in no time with these robust industrial tube printers.



Twin Engines

Meet the first industrial printers with twin engines. With just one machine, you can print on tubes, labels of up to 36mm and other applications; including warning signs and tags.



Zero Fuss

Switch between tube and label printing without replacing or reinserting supplies. Need to replace worn-out parts? You can do it yourself in a few quick steps. It's that easy.



Perfectly Portable

Get the printer working wherever, whenever with the rechargeable Li-ion battery* and wireless capability.

PT-E800T

PT-E850TKW

TUBE		
Compatible Tube Diameter	2,5 - 6,5mm	
Supported Tube Type	PVC	
Max Print Height for Tube	6mm	
Tube Print Speed	40mm/sec	
Multi Line Printing for Tube	-	Up to 2 lines
CONSUMABLES		
Tape Type	TZe*, TR-100BK, HSe (Heat Shrink Tube)	
Max. Tape Width	Up to 36mm*	
GENERAL		
Label Print Resolution	360dpi*	
Label Print Speed	60mm/sec*	
Cutter	Auto and half cutter*	
Multi Line Printing for Label	Customize (P-touch Editor)*	Up to 17 lines*
Label Collection	-	Available in Brother iPrint & Label (Mobile App)*
Multi Line Printing for Label	-	Yes*
Machine Dimensions (WxDxH) mm	338 x 188 x151	338 x 188 x 151 338 x 188 x 173 (with Keyboard)
Interface	USB	USB / Wi-Fi
Host Device	PC	Machine Keyboard / PC / Mobile Device
Numbering Function	Normal / Octal / Hexadecimal / Alphabet	
Barcode Printing	Yes*	
Items (Include in the box)	36mm Black on White 8mm tape (TZe-261) 100mm Black Ink ribbon (TR-100BK) AC Adapter (AD9100ESA)	

*using TZe Tapes



TUBE AND LABEL PRINTER
IN ONE MACHINE



HOME AND OFFICE LABEL PRINTER



M
TAPE
Up to 12 mm



TZe
TAPE
Up to 12 mm

PT-M95

PT-H110

Types of Tape	M-Tape Non-Laminated	TZe Laminated Tape
Tape Size (Max width)	12mm	
Print Speed	7,5mm/sec	20mm/sec
Print Resolution	203dpi	180dpi
Power Source	4 x AAA Alkaline Batteries	6 x AAA Alkaline Batteries
PC Connectivity	No	
Interface	Standalone	
Barcode Printing	No	

Recommended for :

- 1 Personal
- 2 Office
- 3 Asset Management



PROFESSIONAL LABEL PRINTER FOR CORPORATION



Ptouch Design&Print 2
Mobile Apps

TZe
TAPE
Up to 18 mm



Ptouch Design&Print 2
Mobile Apps

TZe
TAPE
Up to 24 mm

PT-D460BT

PT-D610BT

Types of Tape	Tze Laminated Tape	
Tape Size (Max width)	18mm	24mm
Print Speed	30mm/sec	
Print Resolution	180dpi	
Power Source	AC Power 6 x AAA Alkaline Batteries	
PC Connectivity	Yes	
Interface	Standalone, Bluetooth, USB	
Barcode Printing	Yes	

Recommended for :

- 1 Manufacturing
- 2 Office
- 3 Asset Management





TZe
TAPE
Up to 12 mm




Ptouch Design&Print 2
Mobile Apps
TZe
TAPE
Up to 12 mm




Ptouch Design&Print 2
Mobile Apps
TZe
TAPE
Up to 24 mm

PT-D210

PT-P300BT

PT-P710BT

TZe Laminated Tape		
12mm		24mm
20mm/sec		
180dpi		
6 x AAA Alkaline Batteries, AC Power	6 x AAA Alkaline	Li-ion Battery, USB
No		Yes
Standalone	Bluetooth	Bluetooth, USB
No		



TZe
TAPE
Up to 24 mm



TZe
TAPE
Up to 36 mm



TZe
TAPE
Up to 36 mm

PT-P750W

PT-P900W

PT-P950NW

Tze Laminated Tape		
24mm	36mm	
30mm/sec with AC Adapter 20mm/sec with Battery	Normal mode 60mm/sec, Highres mode 30mm/sec , High Speed mode 80mm/sec	
180dpi	720dpi	
AC Power Li-ion Battery 6 x AAA Alkaline Batteries	AC Power	
Yes (NFC Compatible)	Yes	
USB Connection Wi-Fi Connection	USB Connection RS-232C Interface Wi-Fi Connection	USB Connection RS-232C Interface Ethernet (10BASE-T/100BASE-TX), Wi-Fi
Yes		



PROFESSIONAL LABEL PRINTER FOR BUSINESS



QL-800

QL-820NWB

QL-1100

QL-1110NWB

DK Lables & DK Tape (Non-Laminated)

62mm

103mm

150mm/sec (Standard Address Label)

176mm/sec

110mm

300dpi

AC Power

Yes

USB Connection

USB Connection
Wi-Fi & Bluetooth Connection
Ethernet (10BASE-T/100BASE-TX)

USB Connection

USB Connection
Wi-Fi & Bluetooth Connection
Ethernet (10BASE-T/100BASE-TX)

Yes

Recommended for :

- Retail
- Logistic
- Warehouse



PROFESSIONAL LABEL PRINTER FOR TELCO AND ELECTRICAL



PT-E110

PT-E300

PT-E550W

Tze Laminated Tape

Tze Laminated Tape / HSe Heat Shrink Tube

12mm

18mm

24mm

20mm/sec

30mm/sec with AC Adapter
20mm/sec with Battery

180dpi

AC Power, Li-ion Battery, 6 x AAA Alkaline Batteries

No

Yes

Standalone

Standalone
USB Connection
Wi-Fi Connection

No

Yes

Recommended for :

- Electrical
- Telecommunication
- Data Center

